

# **Aesthetic Reference Article List**

### WRINKLE REDUCTION AND SKIN TIGHTENING WITH ALUMA™

#### **White Papers**

 Gold MH, Goldman MP. Treatment of Wrinkles and Skin Tightening Using Aluma™ Skin Renewal System with FACES™ (Functional Aspiration Controlled Electrothermal Stimulation) Technology. Lumenis, 2006. (PB-005547)

#### Trade Journals

- Guttman C. Novel radiofrequency-based treatment achieves skin tightening with minimal discomfort, (Dr. Gold interviewed). *Dermatology Times*, Sep 2005; Vol. 26, No. 9. (PB-005508 Rev. A)
- Aluma RF Device Introduces Painless Wrinkle Reduction. Aesthetic Buyers Guide, Sep/Oct 2005. (PB-005559 Rev. A)

#### HAIR REMOVAL WITH LIGHTSHEER®

#### **Peer Reviewed Articles**

- Battle EF Jr, Hobbs LM. Laser-assisted hair removal for darker skin types. Dermatologic Therapy, 2004; 17(2): 177-83.
- Rao J, Goldman MP. Prospective, comparative evaluation of three laser systems used individually and in combination for axillary hair removal. *Dermatol Surg*, Dec 2005; 31(12): 1671-6; discussion 1677.
- Benedetto AV, Lewis AT. Pilonidal sinus disease treated by depilation using an 800 nm diode laser and review of the literature. *Dermatol Surg*, May 2005; 31(5): 587-91.
- Bouzari N, Tabatabai H, Abbasi Z, Firooz A, Dowlati Y. Laser hair removal: comparison of long-pulsed Nd:YAG, long-pulsed alexandrite, and long-pulsed diode lasers. *Dermatol Surg*, Apr 2004; 30(4 Pt 1): 498-502. (PBP000280)
- Manuskiatti WM, Tantikun N. Treatment of Trichostasis Spinulosa in Skin Phototypes IIII, IV, and V with an 800 nm Pulsed Diode Laser. *Dermatologic Surgery*, 2003; Vol. 29: 85-88
- Klavuhn KG, Green D. Importance of Cutaneous Cooling During Photothermal Epilation: Theoretical and Practical Considerations. Lasers in Surgery and Medicine, 2002; Vol. 31: 97-105.
- Eremia S, Li C, Newman N. Laser Hair removal with Alexandrite Versus Diode Laser Using Four Treatment Sessions: 1-Year Results. *Dermatologic Surgery*, 2001; Vol. 27: 925-930.
- Hamilton MM, Dayan SH, Caniol PJ. Laser Hair Removal Update. Facial Plastic Surgery, 2001; Vol. 17(3): 219-222.
- Handrick C, Alster TS. Comparison of Long-Pulsed Diode and Long-Pulsed Alexandrite Lasers for Hair Removal: A Long-Term Clinical and Histologic Study. Dermatologic Surgery, 2001; Vol. 27: 622-626.
- Lou WW, Quintana AT, Geronemus RG, Grossman, MC. Prospective Study of Hair Reduction by Diode Laser (800 nm) with Long-Term Follow-Up. *Dermatologic* Surgery, 2000; Vol. 26: 428-432. (PB0000213)
- Lin TY, Dierickx CC, Campos VB, Farinelli WA, Rosenthal RR. Reduction of Regrowing Hair Shaft Size and Pigmentation After Ruby and Diode Laser Treatment. Archive of Dermatology, 2000; Vol. 292: 60-67.
- Campos VB, Dierickx CC, Farinelli WA, Lin TY, Manuskiatti W, Anderson RR. Hair Removal with an 800-nm Pulsed Diode Laser. *Journal of American Academy of Dermatology*, 2000; Vol. 43: 442-447.
- Dierickx CC. Hair Removal by Lasers and Intense Pulsed Light Sources. Seminars in Medicine and Surgery, 2000; Vol. 19: 267-275.
- Adrian RM, Shay KS. 800 Nanometer Diode Laser Hair Removal in African American Patients: A Clinical and Histologic Study. *Journal of Cutaneous Laser Therapy*, 2000; Vol. 2: 183-190.
- Dierickx CC, Alora MB, Dover JS. A Clinical Overview of Hair Removal Using Lasers and Light Sources. Dermatologic Clinics, 1999; Vol. 17: 357-366.
- Williams RM, Gladstone HB, Moy RL. Hair Removal Using an 810 nm Gallium Aluminum Arsedide Semiconductor Diode Laser. *Dermatologic Surgery*, 1999; Vol. 25: 935-937.
- Yamauchi PS, Kelly AP, Lask GP. Treatment of Pseudofolliculitis Barbae with the Diode Laser. *Journal of Cutaneous Laser Therapy*, 1999; Vol. 1: 109-111.

### **White Papers**

- Narurkar V. Evaluation of a New 400 ms Extended Pulse LightSheer System for Safe and Effective Hair Removal. *Lumenis*, 2003. (PBP000270)
- Campos VB. Safe and Effective Long-term Hair Reduction in Tanned Patients Using an 800 nm Diode Laser. *Lumenis*, 2002. (PB0000234)

- Kazmi A. Laser Hair Removal with an 800 nm Diode Laser A Retrospective Study of 1000 Women with Skin Types II to VI. Lumenis, 2002. (PB0000142)
- Dierickx CC, Anderson RR, Campos VB, Grossman MC. Effective, Permanent Hair Reduction Using a Pulsed, High-Power Diode Laser. *Lumenis*, 2002. (PB0000218)
- 22. Battle EF Jr, Anderson RR. Study of Very Long-Pulsed (100 ms) High-Powered Diode laser for Hair Reduction on All Skin Types. *Lumenis*, 2002. (PB0000174)
- Adrian RM. LightSheer 800 nm Pulsed, High-Power Diode Laser Hair Removal System. Lumenis, 2002. (PB0000219)
- Pardo RJ, Fahey J. Use of the LightSheer Diode Laser System for Hair Reduction: Safety and Efficacy in Large Series of Treatments. *Lumenis*, 2002. (PB0000217)
- Dierickx CC. Laser Hair Removal: Scientific Principles and Practical Aspects. Lumenis, 2002. (PB0000173)
- Anderson RR. Laser Hair Removal: A Lecture Presented to the 77th Congress of the Japan Society of Aesthetic Surgery, November 14, 1999. *Lumenis*, 2000.
- Kono T, Nozaki M. Diode Laser-Assisted Hair Removal in Asians: A Study of 101
   Japanese Patients. Coherent. 2000.
- 28. Klavuhn KG. Epidermal Protection: A Comparative Analysis of Sapphire Contact and Cryogen Spray Cooling. *Coherent*, 2000. (PBP000133)
- Klavuhn KG. Illumination Geometry: The Importance of Laser Beam Spatial Characteristics. *Coherent*, 2000. (PBP000132)
- Klavuhn KG. Coverage Rate: The Influence of Laser Parameters on Treatment Time. Coherent, 2000. (PBP000131)

#### OTHER APPLICATIONS WITH LIGHTSHEER

#### Peer Reviewed Articles

- Shah GK. Efficacy of diode laser for treating acne keloidalis nuchae. *Indian J Dermatol Venereol Leprol*, Jan-Feb 2005; 71(1): 31-4.
- Soden CE, Smith K, Skelton H. Histologic Features Seen in Changing Nevi After Therapy with an 810 nm Pulsed Diode Laser for Hair Removal in Patients with Dysplastic Nevi. *International Journal of Dermatology*, 2001; Vol. 40: 500-504.
- Boyd AS, Binhalm JQ. Use of an 800-nm pulsed-diode laser in the treatment of recalcitrant dissecting cellulites of the scalp. Archives of Dermatology, 2002; Vol. 138: 1291-1293.

# **White Papers**

- Kilmer SB, Chotzen VA, McClaren M. Use of LightSheer Diode Laser for the Treatment of Benign Pigmented Lesions. *Lumenis*, 2000. (PB0000215)
- Campos MD, Anderson RR, Diereckx CC. Use of an 800 nm High-Power Diode Laser for the Treatment of Leg Vein Telangiectasia. *Lumenis*, 2002. (PB0000216)

### HAIR REMOVAL WITH IPL®

### **Peer Reviewed Articles**

- Fodor L, Menachem M, Ramon Y, Shoshani O, Rissin Y, Eldor L, Egozi D, Peled IJ, Ullmann Y. Hair removal using intense pulsed light (EpiLight): patient satisfaction, our experience and literature review. *Ann Plast Surg*, Jan 2005; 54(1): 8-14. (Review)
- Moreno-Arias GA, Vitalta-Solsona A, Serra-Renom JM, Fernando J. Intense Pulsed Light for Hairy Grafts and Flaps. *Dermatologic Surgery*, 2002; Vol. 28: 402-404.
- Sadick NS, Weiss RA, Sea CR, Nagel H, Nicholson J, Prieto VG. Long Term Photoepilation Using a Broad-Spectrum Intense Pulsed Light Source. Archives of Dermatology, 2000; Vol.136: 1336-1340.
- Moreno-Arias GA, Navarra E, Vilalta A, Ferrando J. Corrective Photoepilation for Improper Hairline Placement After Hair Transplantation. *Dermatologic Surgery*, 2000; Vol. 26: 1-3.
- Johnson F, Dovale M. Intense Pulsed Light Treatment of Hirsutism: Case Reports of Skin Phototypes V and VI. *Journal of Cutaneous Laser Therapy*, 1999; Vol. 1: 233-237. (PBS000001)
- Weir VW, Woo TY. Photo-assisted Epilation Review and Personal Observations. *Journal of Cutaneous Laser Therapy*, 1999; Vol. 1: 135-143.
- Lask G, Eckhouse S, Slatkine M, Waldman A, Kreindel M, Gottfried V. The Role of Laser and Intense Light Sources in Photo-Epilation: A Comparative Evaluation. *Journal of Cutaneous Laser Therapy*, 1999; Vol. 1: 3-13.
- Gold MH, Bell MW, Foster TD, Street S. One Year Follow –up Using Intense Pulsed Light Source for Long Term Hair Removal. *Journal of Cutaneous Laser Therapy*, 1999; Vol. 1: 167-171.
- Weiss RA, Weiss MA, Marwaha S, Harrington AC. Hair Removal With a Non-Coherent Filtered Flashlamp Intense Pulsed Light Source. Lasers in Surgery and Medicine, 1999; Vol. 24:128-132.

- Gold MH, Bell MW, Foster TD, Street ST. Successful Treatment of Blond Hair with the Intense Pulsed Light Source. *Journal of Aesthetic Dermatology and Cosmetic* Surgery, 1999; Vol. 1(3).
- Tse Y. Hair Removal Using A Pulsed-Intense Light Source. Dermatologic Clinics, 1999: Vol. 17(2).
- Sadick NS. Laser and Flashlamp Photo Epilation: A Critical Review of Modern Concepts Bridging Basic Science and Clinical Applications. *Journal of Aesthetic Dermatology and Cosmetic Surgery*, 1999; Vol. 1(2).
- Sadick NH, Shea CR, Burchette Jr JL, Prieto VG. High-Intensity Flashlamp Photoepilation, a Clinical, Historical and Mechanistic Study in Human Skin. Archives of Dermatology, 1999; Vol. 135: 668-676.
- Ross EV, Ladin Z, Kreindel M, Dierickx C. Theoretical Considerations in Laser Hair Removal. *Dermatologic Clinics*, 1999; Vol. 17(2): 333-355.
- Schroeter CA, Raulin C, Thurlimann W, Reineke T, De Potter C, Neumann HAM. Hair Removal in 40 Hirsute Women with an Intense Laser-Like Light Source. *European Journal of Dermatology*, 1999; Vol. 9: 374-379.
- Raulin C, Werner S, Hartschuh W, Schonermark MP. Effective Treatment of Hypertrichosis with Pulsed Light: A Report of Two Cases. *Annals of Plastic Surgery*, 1997: Vol. 39(2):169-173.
- Gold MH, Bell MW, Foster TD, Street S. Long-Term Epilation Using the EpiLight Broad Band, Intense Pulsed Light Hair Removal System. *Dermatologic Surgery*, 1997; Vol. 23: 909-913.

#### **Clinical Application Notes**

- Friedman S, Szafranek T, Mann S, Iger Y. Hair Removal Using the Elora™, An Innovative, Intense Pulsed (IPL™) system. Lumenis, 2004. (PBP000230)
- Gold M, Johnson F, Dovale M, Sumrall A, Goldman M. Intense Pulsed Light (IPL) System Enables Successful Treatment of Skin Type VI. ESC Sharplan, 2000; Vol. 2(5). (PB4080510 Rev. A)
- Jay HH, Rand DA, Thaler HT. EpiLight Pulsed Light Hair Removal: A Clinical Study and Discussion of Current Concepts of Hair Removal Treatment. ESC Sharplan, 1999; Vol. 2(5). (PB4080470 Rev. A)
- Johnson F, Dovale M. EpiLight Treatment for Hirsutism: Removal of Excess Facial and Body Hair for All Skin Types Including Types V & VI. ESC Sharplan, 1999; Vol. 2(4). (PB4080480 Rev. A)
- Hunt J, Schlessinger J, Woo T. Treatment of Large Body Areas with EpiLight Hair Removal System: Multi-Center Back Epilation. ESC Sharplan, 1998; Vol. 2 (2). (PB4080030 Rev. A)
- Jay H. Photo-Epilation with the EpiLight Hair Removal System: Multi-Case Study. ESC Medical Systems, 1998. (PB4000900)
- Control of Pulse Duration and Pulse Sequence Delays for Effective Photo-Epilation. ESC, 1998; Vol. 3(2).
- Woo TY. Using EpiLight for Hair Removal Treatment of Fitzpatrick Skin Types IV and V. ESC Sharplan, 1998; Vol. 2(3). (PB4080340 Rev A)
- Importancia de la Longitud de Onda para Eficaz Fotodepilacion del Pelo (Spanish Translation). ESC, 1998. (PB4080240)
- Significance of Wavelength Range for Effective Hair Photo-Epilation. ESC, 1997; Vol. 3(1). (PB4009081 Rev. B)
- 28. Histological Studies of Epilation Using Intense Pulsed Light. ESC, 1997. (PB4009083)

### Trade Journals

- Jay H, Rand D, Felix M, Cabornero R, Asch S. Safety of Intense Pulsed Light Hair Removal in 250 Consecutive New Patients. Cosmetic Dermatology, Dec 2002; Vol. 15(12).
- Scheck A. Hair Ablation Destroys Follicles with No Damage (Dr. Sadick interviewed). Dermatology Times, Apr 2000.
- Hilton L. Hair Removal System Destroys Hair Follicles (Dr. Sadick interviewed). *Dermatology Times*, Sep 1999.
- Bauman N. Longer Lasting Results with Flashlamp Hair Removal System (Dr. Fitzpatrick interviewed). Cosmetic Surgery Times, Jul 1997.

# IPL TREATMENT USING PHOTOREJUVENATION

### **Peer Reviewed Articles**

- Gold MH, Goldman MP. 5-aminolevulinic acid photodynamic therapy: where we have been and where we are going. *Dermatol Surg*, Aug 2004; 30(8):1077-83; discussion 1083.4
- Dover JS, Bhatia AC, Stewart B, Arndt KA. Topical 5-aminolevulinic acid combined with intense pulsed light in the treatment of photoaging. *Arch Dermatol*, Oct 2005; 141(10): 1247-52.
- Marmur ES, Phelps R, Goldberg DJ. Ultrastructural changes seen after ALA-IPL photorejuvenation: a pilot study. J Cosmet Laser Ther, Mar 2005; 7(1): 21-4.
- Alster TS, Tanzi EL, Welsh EC. Photorejuvenation of facial skin with topical 20% 5aminolevulinic acid and intense pulsed light treatment: a split-face comparison study. J Drugs Dermatol, Jan-Feb 2005; 4(1): 35-8.

- Trelles M, Allones I, Velez M, Mordon S. Nd:YAG laser combined with IPL treatment improves clinical results in non-ablative photorejuvenation. *J Cosmet Laser Ther*, Jun 2004; 6(2): 69-78. (PB2480570)
- Sadick NS, Weiss R, Kilmer S, Bitter P. Photorejuvenation with intense pulsed light: results of a multi-center study. J Drugs Dermatol, Jan-Feb 2004; 3(1):41-9.
- Brazil J, Owens P. Long-term clinical results of IPL photorejuvenation. J Cosmet Laser Ther, Dec 2003; 5(3-4): 168-74.
- Laury D. Intense pulsed light technology and its improvement on skin aging from the patients' perspective using photorejuvenation parameters. *Dermatology Online Journal*, 2003; 9(1): 5.
- Raulin C, Greve B, Grema H. IPL Technology: A Review. Lasers in Surgery and Medicine, 2003; Vol. 32: 78-87.
- Sadick NS. Update on Non-Ablative Light Therapy for Rejuvenation: A Review. Lasers in Surgery and Medicine, 2003; Vol. 32: 120-128.
- Adatto MA. Photorejuvenation of the Forearms by Treating Hyperpigmented Lesions with Intense Pulsed Light Source: A Case Report. *Journal of Cosmetic & Laser Therapy*, 2003; Vol. 5: 117-119.
- Weiss RA, Weiss MA, Beasley KL. Rejuvenation of Photoaged Skin: 5 Years Results with Intense Pulsed Light of Face, Neck, and Chest. *Dermatologic Surgery*, 2002; Vol. 28(12): 1115-1119. (PB2480510)
- Hernandez-Perez E, Valencia-Ibiett E. Gross and Microscopic Findings in Patients Submitted to Nonablative Full-Face Resurfacing Using Intense Pulsed Light: A Preliminary Study. *Dermatologic Surgery*, 2002; Vol. 28(8): 651-655.
- Negishi K, Wakamatsu S, Kushikata N, Tezuka Y, Kotani Y. Full-Face Photorejuvenation of Photodamaged Skin by Intense Pulsed Light With Integrated Contact Cooling: Initial Experience in Asian Patients. *Lasers in Surgery and Medicine*, 2002; Vol. 30: 298-305. (PBP000157)
- Prieto VG, Sadick NS, Lloreta J, Nicholson J, Shea CR. Effects of Intense Pulsed Light on Sun-Damaged Human Skin, Routine, and Ultrastructural Analysis. *Lasers in Surgery and Medicine*, 2002; Vol. 30 (2): 82-85.
- Kontoes PP, Vlachos SP. Intense Pulsed Light is Effective in Treating Pigmentary and Vascular Complications of CO<sub>2</sub> Laser Resurfacing. *Aesthetic Surgery Journal*, 2002; Vol. 22: 489-491.
- Ruiz-Rodriguez R, Sanz-Sanchez T, Cordoba S. Photodynamic Photorejuvenation. Dermatologic Surgery, 2002; Vol. 28(8): 742-744.
- Kulick MI. Photorejuvenation: Using Intense Pulsed Light Technology in a Cosmetic Surgery Practice. Aesthetic Surgery Journal, 2001; Vol. 21(3): 627-632.
- Negishi K, Tezuka Y, Kushikata N, Wakamatsu S. Photorejuvenation for Asian Skin by Intense Pulsed Light. *Dermatologic Surgery*, 2001; Vol. 27: 627-632. (PBP000125)
- Goldberg DJ, Samady JA. Intense Pulsed Light and Nd:YAG Laser Non-Ablative Treatment of Facial Rhytids. Lasers in Surgery and Medicine, 2001; Vol. 28: 141-144.
- Bitter PH. Noninvasive Rejuvenation of Photodamaged Skin Using Serial, Full-Face Intense Pulsed Light Treatments. *Dermatologic Surgery*, 2000; Vol. 26: 835-843. (PBP000030)
- Goldberg DJ, Culter, KB. Nonablative Treatment of Rhytids With Intense Pulsed Light. Lasers in Surgery and Medicine, 2000; Vol. 26: 196-200.
- Goldberg DJ. New Collagen Formation after Dermal Remodeling with an Intense Pulsed Light Source. *Journal of Cutaneous Laser Therapy*, 2000; Vol.2: 59-61.
- 24. Angermeier MC. Treatment of Facial Vascular Lesions With Intense Pulsed Light. *Journal of Cutaneous Laser Therapy*, 1999; Vol. 1: 95-100.

### White Papers

- 25. Zamir B. Lumenis One™ An Expandable Technology Platform for Comprehensive Aesthetic Treatments. *Lumenis*, 2004. (PB6500380)
- 26. Adatto MA. Practical Instructions on Non-Facial Skin Treatment Using Photorejuvenation with IPL® Quantum™ SR. *Lumenis*, 2003. (PB3680360)

### Trade Journals

- Kronemyer B. IPL Enters Fourth Generation with Lumenis One. European Aesthetic Buyers Guide, Winter 2005. (PBP000329)
- Carruthers JA, Weiss R, Narurkar V, Flynn TC. Intense Pulsed Light and Botulinum Toxin Type A for the Aging Skin. Supplement to *Cosmetic Dermatology*, Nov 2003; Vol. 16 (11S5).
- Nestor MS, Goldberg DJ, Goldman MP, Weiss RA, Weiss MD, Darrell SR. New Prospectives on Photorejuvenation. Skin & Aging, May 2003.
- Goldman MP. The Role of Photodynamic Therapy in the Treatment of Actinic Keratoses and Photoaging. Cosmetic Dermatology, Jun 2002; Vol. 15 (6).
- Sadick NS. A Structural Approach to Nonablative Rejuvenation. Cosmetic Dermatology, Dec 2002; Vol 15(12).
- Bryant R. IPL Shows Rejuvenation Versatility, (Dr. Bitter interviewed). *Dermatology Times*, Oct 2002; Vol. 23(10).
- Narurkar VA. The Electromagnetic Spectrum and Laser and Pulsed Light Tissue Interactions. Cosmetic Dermatology, Aug 2002; Vol. 15(8).

- Vidimos AT. Vascular Laser and Intense Pulsed Light Treatment of Rosacea-Associated Telangiectasia and Erythema. Cosmetic Dermatology, Aug 2002; Vol. 15(8).
- Schneider EM. IPL Hailed as New Nonablative Technology Generation (Dr. Sadick interviewed). Cosmetic Surgery Times, Jul 2002; Vol. 5(6).
- Wilson F. Laser Offers Relief in Diminishing Rosacea: IPL Technology Eliminates Redness, Severity with Visible Results After Two Treatments (Dr. Taub interviewed). Dermatology Times, Jul 2002; Vol. 23(7).
- Kuznar W. Uncovering the Nonablative Facts (Dr. Wiess interviewed). Dermatology Times. Jul 2002; Vol. 23(7).
- Beasley KL, Wiess RA, Wiess MA. New Parameters for Intense Pulsed Light Rejuvenation with a Thermoelectrically Chilled Crystal Delivery System. *Cosmetic Dermatology*, Jul 2002; Vol. 15(7). (PBP000166)
- Guttman C. Smoothing Becomes Apparent as Added Benefit of IPL: Light Often Used for Actinic Vascular, Pigmentation Change (Dr. Wiess interviewed). Dermatology Times, Jan 2001. (PBP000084)
- Nestor MSW, Goldberg DJ, Goldman MP, Weiss, RE, Rigel, DS. Photorejuvenation: Non-Ablative Skin Rejuvenation Using Intense Pulsed Light. A Special Supplement to Skin & Aging, 2000. (PB 00000 34 Rev. A)
- Hannapel C. Full-Face Intense Pulsed Light Treatment Battles Photoaging (Ed). Cosmetic Surgery Times, Jul 2000; Vol. 3(6). (PBP000029)
- 42. Goldman MP. Non-Ablative Laser Treatment of Wrinkles. Cosmetic Dermatology, Jan 2000.
- 43. West T. How Laser Surgery Can Help Your Rosacea Patients. Skin & Aging, Mar 1998.

#### OTHER APPLICATIONS

#### **Peer Reviewed Articles**

- Gilbert DJ. Treatment of actinic keratoses with sequential combination of 5-fluorouracil and photodynamic therapy. J Drugs Dermatol, Mar-Apr 2005; 4(2): 161-3.
- Santos MA, Belo VG, Santos G. Effectiveness of photodynamic therapy with topical 5aminolevulinic acid and intense pulsed light versus intense pulsed light alone in the treatment of acne vulgaris: comparative study. *Dermatol Surg*, Aug 2005; 31(8 Pt 1): 910-5.
- Carruthers J, Carruthers A. The effect of full-face broadband light treatments alone and in combination with bilateral crow's feet Botulinum toxin type A chemodenervation. *Dermatol Surg*, Mar 2004; 30(3): 355-66; discussion 366.
- Gold MH, Bradshaw VL, Boring MM, Bridges TM, Biron JA, Lewis TL. Treatment of sebaceous gland hyperplasia by photodynamic therapy with 5-aminolevulinic acid and a blue light source or intense pulsed light source. *J Drugs Dermatol*, Nov-Dec 2004: 3(6 Suppl): S6-9
- Hernandez-Perez E, Colombo-Charrier E, Valencia-Ibiett E. Intense Pulsed Light in the treatment of Striae Distensae. *Dermatologic Surgery*, 2002; Vol. 28(12): 1124-1130.
- Kontoes PP, Marayiannis KV, Vlachos SP. The Use of Intense Pulsed Light in the Treatment of Scars. European Journal of Plastic Surgery, 2003; Vol. 25: 374-377.

## VASCULAR LESIONS WITH IPL

# Peer Reviewed Articles

- Clementoni MT, Gilardino P, Muti GF, Signorini M, Pistorale A, Morselli PG, Cavina C. Facial telangectasias: our experience in treatment with IPL. Lasers Surg Med, Jul 2005; 37(1): 9-13.
- Wang CC, Hui CY, Sue YM, Wong WR, Hong HS. Intense pulsed light for the treatment of refractory melasma in Asian persons. *Dermatol Surg*, Sep 2004; 30(0):1196-200
- Mark KA, Sparacio RM, Voigt A, Marenus K, Sarnoff DS. Objective and quantitative improvement of rosacea-associated erythema after intense pulsed light treatment. *Dermatol Surg*, Jun 2003; 29(6): 600-4.
- Podmore P. Treatment of Widespread Generalized Congenital Aberrant Telangiectasia with a Flashlight Source. *Journal of Cutaneous Laser Therapy*, 2000; Vol. 2: 79-80.
- Levy JL. Intense Pulsed Light Treatment for Chronic Facial Erythema of Systemic Lupus Erythematosus: A Case Report. *Journal of Cutaneous Laser Therapy*, 2000; Vol. 2: 195-198.
- Weiss RA, Goldman MP, Weiss MA. Treatment of Poikiloderma of Civatte with an Intense Pulsed Light Source. *Dermatologic Surgery*, 2000; Vol. 26: 823-828.
- Dover S, Arndt KA. New Approaches to the Treatment of Vascular Lesions. Lasers in Surgery and Medicine, 2000; Vol. 26: 158-163.
- Rualin C, Schroeter CA, Weiss RA, Keiner M, Werner S. Treatment of Port-Wine Stains With a Noncoherent Pulsed Light Source: A Retrospective Study. Archives of Dermatology, 1999; Vol. 135: 679-683.
- Cliff S, Misch K. Treatment of Mature Port Wine Stain with the PhotoDerm VL. Journal of Cutaneous Laser Therapy, 1999; Vol 1: 101-104.
- Angermeier MC. Treatment of Facial Vascular Lesions with Intense Pulsed Light. Journal of Cutaneous Therapy, 1999; Vol. 1: 95-100. (AR2000019)

- Rualin C, Werner S. Treatment of Venous Malformations with an Intense Pulsed Light Source (IPLS) Technology: A Retrospective Study. Lasers in Surgery and Medicine, 1999; Vol. 25: 170-177.
- Jay H, Borek C. Treatment of a Venous-Lake Angioma with Intense Pulsed Light. The Lancet, 1998; Vol. 351(9096): 112.
- Schroeter CA, Neumann HAM. An Intense Light Source: The PhotoDerm VL Flashlamp as a New Treatment Possibility for Vascular Skin Lesions. *Dermatologic Surgery*, 1998; Vol. 24: 743-748.
- Goldman MP. Treatment of Benign Vascular Lesions with the PhotoDerm VL High-Intensity Pulsed Light Source. Advances in Dermatology, 1998; Vol. 13(Chapter 15): 503-521.
- Raulin C, Hellwig S, Schonermark MP. Treatment of a Nonresponding Port-Wine Stain with a New Pulsed Light Source (PhotoDerm VL). Lasers in Surgery and Medicine, 1997; Vol. 21: 203-208.
- Raulin C, Raulin JR, Hellwig S, Schonermark MP. Treatment of Benign Venous Malformation with an Intense Pulsed Light Source (PhotoDerm VL). European Journal of Dermatology. 1997: Vol. 7: 279-282.
- Raulin C, Wiess RA, Schonermark MP. Treatment of Essential Telangiectasias with an Intense Pulsed Light Source (PhotoDerm VL). *Dermatologic Surgery*, 1997; Vol. 23(10): 941-946.
- Raulin C, Goldman MP, Wiess MA, Wiess RA. Treatment of Adult Port-Wine Stains Using Intense Pulsed Light Therapy (PhotoDerm VL): Brief Initial Clinical Report. Dermatologic Surgery, 1997; Vol. 23: 594-601.
- Foster TD, Gold MH. The Successful Use of the PhotoDerm VL in the Treatment of a Cavernous Hemangioma in a Dark-Skinned Infant. *Minimally Invasive Surgical Nursing*, 1996; Vol. 10 (3): 102-104.

#### **Clinical Application Notes**

- Bandel P. Effective Resolution of a Mature Port-Wine Stain Using Intense Pulsed Light (IPL) Technology. ESC Medical Systems, 2001; Vol. 1(2). (PB1003020 Rev. C)
- Kautz I, Kautz G. Early Intervention in Pediatric Hemangiomas with the VascuLight Intense Pulsed Light Laser Source. ESC Sharplan, 2000; Vol. 8(4). (PB2380880)
- Bush R, Hammond K. Effective Treatment of a Laser-Resistant Port-Wine Stain with PhotoDerm VL Therapy. ESC Medical Systems, 1998. (PB1003000)
- Johnson F, Dovale M, Stofman GM. Treatment of Vascular Lesions, Benign Pigmented Lesions and Unwanted Hair with PhotoDerm MultiLight. ESC Sharplan, 1998; Vol. 5(1). (PB2180320 Rev. B)
- Dwyer M, Gray M, Grossman K. Using Intense Pulsed Light (IPL) Technology to Treat Poikiloderma. ESC Sharplan, 1998; Vol. 1(3). (PB1002011 Rev C)
- Facial and Truncal Angiomas Treating Patients Quickly and Effectively. ESC, 1997; Vol. 1(2). (PB1009046 Rev. 3)
- Can Purpura be Prevented When Treating Benign Vascular Lesion? ESC, 1997; Vol. 1(3). (PB1009047 Rev. 3)

# Trade Journals

- 26. Romagnolo SC, Benedetto AV. Rosacea in a new light. Skinmed, Jan-Feb 2005; 4(1): 47-8.
- 27. West T. How Laser Surgery Can Help Your Rosacea Patients. Skin & Aging, March 1998.
- 28. New Non-Invasive Light Treatment Helps Rid Facial and Truncal Telangiectasias. Clinical News, Modern Medicine, March 1997.

## PIGMENTED LESIONS WITH Q-SWITCHED Nd:YAG

# **Clinical Application Notes / White Papers**

 Lapidoth M, Zhou Z. Q-Switched Nd:YAG Treatment of Tattoos and Pigmented Lesions. Lumenis, 2004. (PB3750170)

## LEG VEINS WITH IPL AND Nd:YAG

## Peer Reviewed Articles - IPL and Nd:YAG

- Fodor L, Ramon Y, Fodor A, Carmi N, Peled IJ, Ullmann Y. A Side-by-Side Prospective Study of Intense Pulsed Light and Nd:YAG Laser Treatment for Vascular Lesions. *Ann Plast Surg*, Feb 2006; 56(2):164-170.
- Sadick NS. A Dual Wavelength Approach for Laser/Intense Pulsed Light Source Treatment of Lower Extremity Vein. *Journal of American Academy of Dermatology*, 2002; Vol. 46(1): 66-72.
- Sadick NS, Weiss RA, Goldman MP. Advances in Laser Surgery for Leg Veins: Bimodal Wavelength Approach to Lower Extremity Vessels, New Cooling Techniques, and Longer Pulse Durations. *Dermatologic Surgery*, 2002; Vol. 28(1): 16-20.
- Sadick NS. Long-Term Results with a Multiple Synchronized-Pulse 1064 nm Nd:YAG Laser for the Treatment of Leg Venulectasias and Reticular Veins. *Dermatologic Surgery*, 2001; Vol.27(4): 365-369.
- Sadick NS, Prieto VG, Shea CR, Nicholson J, McCaffrey T. Clinical and Pathologic Correlates of 1064 nm Nd:YAG Laser Treatment of Reticular Veins and Venulectasias. Archives of Dermatology, 2001; Vol.137: 613-617.

- Colaiuda S, Colaiuda F, Gasparotti M. Treatment of Deep Underlying Reticular Veins by Nd:YAG and IPL Source. *Minerva Cardioangiologica*, 2000; Vol. 48: 1-4.
- Weiss RA, Weiss MA. Early Clinical Results with a Multiple Synchronized Pulse 1064 nm Laser for Leg Telangiectasias and Reticular Veins (Brief Communication/Case Report). *Dermatologic Surgery*, 1999; Vol. 25: 399-402. (AR2000016)
- Dover JS, Sadick NS, Goldman MP. The Role of Lasers and Light Sources in the Treatment of Leg Veins (Editorial). *Dermatologic Surgery*, 1999; Vol. 25: 328-336.
- Wilder D. Pulsed 1064 nm Nd:YAG Laser Therapy for Noninvasive Treatment of a Massive Hemangioma: Case Report. *Journal of Clinical Laser Medicine and Surgery*, 1999; Vol. 17(6): 245-247.
- Schroeter CA, Wilder D, Reineke T, Thurlimann W, Raulin C, Neumann M. Clinical significance of an Intense Pulsed Light source on leg telangiectasias of up to 1mm diameter. European Journal of Dermatology, 1997; Vol. 7: 38-42.
- Dzubow LM. Leg Veins and Stretch Marks. American Society for Dermatologic Surgery, 1996; Vol. 22(4): 321.
- Goldman MP, Eckhouse S. Photothermal Sclerosis of Leg Veins (ESC PhotoDerm VL Cooperative Study Group). *Dermatologic Surgery*, 1996; Vol. 22(4): 323-330.

#### Peer Reviewed Articles - Nd:YAG

- Guttman C. Lasers a Viable Choice for Treating Leg Veins (Dr. Wiess interviewed). Dermatology Times, Feb 2001.
- 14. Goldberg D. Nd:YAG Laser Treatment of Spider Veins. Cosmetic Dermatology, Jun 2001.
- 15. Hilton L. Recent Advances in Less Invasive Leg Vein Treatments (Dr. Wiess interviewed). *Cosmetic Surgery Times*, Apr 2001.
- Gold M. Treatment of Larger and Deeper Varicosities Utilizing a 1064 nm Laser System. Cosmetic Dermatology, Nov 2000.
- Raymond J. Myriad Types of Leg Veins Often Wrongly Grouped (Dr. Wiess interviewed). Dermatology Times, May 1999.
- Laser Leg Vein Treatments Continue to Improve. Medical Laser Report, Sep 1998; Clinical Update.

- Sabbath L. "Easy to Use" Long-pulse Nd:YAG Laser Targets Selected Leg Veins (Dr. Wiess interviewed). Dermatology Times, Oct 1998; Special Section.
- Hannapel CE. Laser makes headway against leg veins, upgrade from 800 nm to 1064 nm allows Nd:YAG to reach new depths, protect epidermis (Dr. Wiess interviewed). Dermatology Times, 1998.
- Bowser A. Modality Important in Treating Reticular, Telangiectatic Leg Veins, Sclerotherapy vs. Laser: Consider potential efficacy, adverse effects, size, and location (Dr. Goldman interviewed). *Dermatology Times*, Apr 1998.
- 22. Goldman MP. Treating Varicose and Telangiectatic Leg Veins. Federal Practitioner, Mar 1997.
- Goldman MP. Laser and Noncoherent Pulsed Light Treatment of Leg Telangiectasias and Venules. Cosmetic Dermatology, Oct 1995; Vol. 8(10).

#### **Clinical Application Notes / White Papers**

- Troxler M. One Clinic's Experience in the Treatment of Varicose Veins and Leg Telangiectasias with the VascuLight Intense Pulsed Light / Nd:YAG Laser Source. ESC Sharplan, 2000; Vol. 8(3). (PB2380870 Rev. A)
- Moraga JM, Hoffman S, Troxler M, Levy IL. European Multi-Center Study VascuLight for the Treatment of Varicose Reticular Veins and Leg Telangiectasias as well as Other Vascular Lesions. ESC Sharplan, 1999; Vol. 8(1). (PB2380650 Rev. B)
- Wilder D. VascuLight Experience with over 1,000 Patients: Two Year Study of Cutaneous Vascular Lesion Treatment with an Intense Pulsed Light and Laser Source. ESC Sharplan, 1999; Vol. 8(2).
- Effective Treatment of Deep and Large Vessels with VascuLight. ESC, 1998; Vol. 1(6). (PB2380190 Rev. C)
- 28. Shaoul J. Successful Treatment of Leg Telangiectasia with PhotoDerm VL. ESC, 1998; Vol. 1(4).
- 29. Why are Leg Veins so Difficult to Treat. ESC, 1997; Vol.1(1).
- Eckhouse S, Kreindel M. The Application of Selective Photothermolysis in Treating Leg Veins and Other Benign Vascular Lesions. ESC, Apr 1996.

Lumenis Inc.
Santa Clara, CA, USA
Tel 408 764 3000
877 586 3647
Fax 408 764 3999

800 505 1133

Lumenis (GERMANY) GmbH Dreieich-Dreieichenhain, Germany

Tel + 49 6103 8335 0 Fax + 49 6103 8335 300 Lumenis (FRANCE) SARL Orsay, France

Tel + 33 1 69 33 14 20 Fax + 33 1 60 19 57 23

Lumenis (ITALY) Srl. Formello (RM), Italy Tel + 39 06 90 75 230

Fax + 39 06 90 75 269

Lumenis (UK) Ltd. London, UK

Tel + 44 20 8324 4200 Fax + 44 20 8324 4222

Lumenis (JAPAN) Co. Ltd. Tokyo, Japan

Tel + 81 3 5789 8300 Fax + 81 3 5789 8310 Lumenis (CHINA) Ltd. Beijing, China

Tel + 86 10 6510 2620 Fax + 86 10 6510 2621

Lumenis (HK) Ltd. Hong Kong

Tel + 852 2174 2800 Fax + 852 2722 5151

